ISSN: (Online)
Volume 3 Issue 1 (2024) pages. 11 – 22
Global Perspectives in Health, Medicine, and Nursing
https://www.forthworthjournals.org/
doi:

Healthcare Access Disparities among Marginalized Communities

Gracie Williamson
University of Fort Hare

Abstract

Healthcare access disparities among marginalized communities are a significant public health challenge, contributing to inequalities in health outcomes and perpetuating social injustices. This comprehensive study examines the multifaceted factors driving healthcare access disparities among marginalized populations, including racial and ethnic minorities, Indigenous peoples, low-income individuals, immigrants, LGBTQ+ individuals, persons with disabilities, and refugees. Drawing on a synthesis of existing literature, the study identifies persistent barriers to healthcare access, such as lack of health insurance coverage, geographic remoteness, language barriers, discrimination, and limited health literacy. These disparities are influenced by social determinants of health, including poverty, structural racism, and unequal distribution of resources, which intersect to compound barriers to care. Despite efforts to address healthcare access disparities, significant gaps persist, highlighting the need for targeted interventions and policy reforms. The study contributes to theory by advancing our understanding of health disparities through the lens of Social Determinants of Health and Intersectionality theory. It provides a conceptual framework for understanding the complex interplay of factors shaping healthcare access disparities and informs future research directions aimed at addressing health inequities. From a practical standpoint, the study offers insights for healthcare providers and organizations to improve access to care for marginalized communities. Recommendations include implementing cultural competency training, offering language interpretation services, and adopting patient-centered care approaches to foster trust and rapport. From a policy perspective, the study highlights the need for comprehensive policy interventions targeting structural determinants of health, such as expanding Medicaid coverage, investing in primary care services, and addressing social determinants of health. Furthermore, the study contributes to broader discussions on social justice and human rights by highlighting the disproportionate burden of healthcare access disparities borne by marginalized communities. By emphasizing the principles of equity and inclusivity, the study underscores the moral imperative of addressing health disparities as a fundamental aspect of social justice. The findings of this study have implications for policymakers, healthcare providers, advocacy organizations, and community members working to promote health equity and improve access to quality care for all populations. By addressing the root causes of healthcare access disparities and promoting equitable access to care, stakeholders can work together to create a more just and inclusive healthcare system that ensures health equity for all.

Keywords: *Healthcare Access Disparities, Marginalized Communities, Social Determinants of Health, Intersectionality, Policy Interventions, and Health Equity.*

INTRODUCTION

1.1 Background of the Study

Healthcare access disparities refer to the unequal distribution of healthcare services and resources among different populations, leading to differential access to quality care based on various factors such as socioeconomic status, race, ethnicity, geographic location, and immigration status. These disparities have been extensively documented in research literature and pose significant challenges to achieving health equity globally. In the United States, healthcare access disparities are particularly pronounced, with marginalized communities experiencing barriers to accessing essential services. For instance, studies have shown that racial and ethnic minorities face higher rates of uninsurance and reduced access to preventive care compared to their White counterparts (Artiga, Orgera, & Damico, 2021). Similarly, in Canada, despite having a universal healthcare system, Indigenous peoples often encounter barriers to accessing culturally appropriate care, resulting in poorer health outcomes (Smylie, Firestone & Cochran, 2019). Moreover, in parts of Europe, migrant populations face challenges in accessing healthcare due to legal restrictions, language barriers, and discrimination, leading to disparities in health outcomes (Suurmond, Uiters, & de Bruijne, 2016).

In the United States, one of the primary drivers of healthcare access disparities is the lack of health insurance coverage. The Affordable Care Act (ACA) aimed to address this issue by expanding Medicaid eligibility and establishing health insurance marketplaces. However, significant coverage gaps persist, particularly among low-income individuals in states that did not expand Medicaid (Ku & Broaddus, 2020). Additionally, structural racism and implicit bias within the healthcare system contribute to disparities in care delivery. For example, African American patients are less likely to receive appropriate pain management compared to White patients, reflecting systemic biases that perpetuate unequal treatment (Hoffman, Trawalter, Axt & Oliver, 2016). Similarly, in Canada, historical and ongoing colonial policies have resulted in Indigenous peoples facing barriers to accessing healthcare services, including discrimination, cultural insensitivity, and limited availability of services in remote areas (Waldram, Herring, & Young, 2006).

In parts of Europe, healthcare access disparities are exacerbated by factors such as immigration status and socioeconomic inequality. Migrant populations often encounter administrative hurdles, language barriers, and discrimination when accessing healthcare services, leading to delays in care and poorer health outcomes (Norredam, Mygind, Krasnik & Kristiansen, 2017). Furthermore, austerity measures and healthcare budget cuts in some European countries have strained healthcare systems, disproportionately affecting vulnerable populations and exacerbating existing disparities (Karanikolos, Mladovsky, Cylus, Thomson, Basu, Stuckler & McKee, 2013).). Despite efforts to promote universal healthcare coverage, disparities persist, highlighting the need for targeted interventions to address the root causes of inequality (Mladovsky, Srivastava, Cylus, Karanikolos, Evetovits, Thomson & McKee, 2016).

In African countries, healthcare access disparities are influenced by a complex interplay of socioeconomic, political, and cultural factors. Limited healthcare infrastructure, unequal distribution of healthcare workers, and inadequate funding hinder access to essential services, particularly in rural areas (World Health Organization, 2019). Additionally, armed conflicts, natural disasters, and disease outbreaks further exacerbate disparities, disrupting healthcare delivery and disproportionately affecting marginalized populations (Spiegel, Checchi, Colombo & Paik, 2010). Moreover, structural barriers such as gender inequality and lack of education perpetuate disparities in access to maternal and child health services, contributing to high maternal and infant mortality rates (Gage, 2013).

Addressing healthcare access disparities requires a multifaceted approach that encompasses policy reforms, community engagement, and targeted interventions. In the United States, expanding Medicaid

coverage, increasing funding for community health centers, and implementing anti-discrimination policies are essential steps towards achieving health equity (Gresenz, Derose, Ringel & Escarce, 2019). Similarly, in Canada, implementing culturally safe healthcare practices, enhancing Indigenous-led healthcare services, and addressing social determinants of health are critical to improving access for Indigenous peoples (Truth and Reconciliation Commission of Canada, 2015). In Europe, promoting migrant-inclusive healthcare policies, investing in primary care services, and addressing social determinants of health are crucial strategies for reducing disparities (Priebe, Sandhu, Dias, Gaddini, Greacen, Ioannidis & Bogic, 2011). In African countries, strengthening healthcare systems, investing in primary healthcare infrastructure, and addressing social determinants of health are essential for improving access to quality care for all populations (World Health Organization, 2020). Healthcare access disparities persist globally, impacting the health and well-being of marginalized populations. By understanding the root causes of these disparities and implementing evidence-based interventions, policymakers, healthcare providers, and communities can work together to achieve health equity and ensure that everyone has access to quality healthcare services.

Marginalized communities encompass groups that face social, economic, and political exclusion, leading to disparities in access to resources and opportunities, including healthcare. Conceptually, marginalized communities are often defined by their limited power, voice, and representation within society, resulting in systemic inequalities that perpetuate healthcare access disparities. These communities can include racial and ethnic minorities, low-income populations, LGBTQ+ individuals, persons with disabilities, and indigenous peoples, among others (Bailey, Krieger, Agénor, Graves, Linos & Bassett, 2017). The concept of marginalized communities underscores the intersectionality of identities and experiences that contribute to their exclusion from mainstream institutions and services. Intersectionality theory highlights how multiple dimensions of disadvantage, such as race, gender, class, and sexuality, intersect to shape individuals' lived experiences and access to resources (Crenshaw, 1989). For example, African American women may face compounded discrimination based on both their race and gender, leading to unique barriers in accessing healthcare services (Bowleg, 2012).

Healthcare access disparities among marginalized communities stem from a complex interplay of social, economic, and structural factors. Socioeconomic status, for instance, is a key determinant of health and access to care, with individuals experiencing poverty facing greater obstacles in accessing healthcare services due to financial constraints (Braveman, Egerter & Williams, 2011). Additionally, structural racism, discrimination, and cultural biases within healthcare systems contribute to differential treatment and unequal access to quality care among marginalized populations (Williams & Mohammed, 2013). Geographic location also plays a significant role in healthcare access disparities among marginalized communities. Rural and remote areas often lack adequate healthcare infrastructure, including hospitals, clinics, and trained healthcare professionals, leading to limited access to primary care services and specialized treatments (Hart, Larson, Lishner & Tabb, 2020). This geographical disparity disproportionately affects marginalized populations, exacerbating existing health inequities.

Furthermore, language barriers and limited health literacy contribute to healthcare access disparities among marginalized communities. Immigrants, refugees, and asylum seekers, for example, may encounter challenges in understanding healthcare information, navigating healthcare systems, and communicating with healthcare providers due to language differences and cultural differences in health beliefs and practices (Flores, 2016). These barriers can result in delayed diagnosis, inappropriate treatment, and poorer health outcomes. Historical and ongoing injustices, such as colonization, displacement, and forced assimilation, have profound and enduring effects on the health and well-being of marginalized communities. Indigenous peoples, for instance, continue to experience

intergenerational trauma and systemic barriers to accessing culturally safe and appropriate healthcare services as a result of colonization and settler colonialism (Walter & Saggers, 2013). These historical legacies contribute to persistent health disparities and healthcare access inequities among Indigenous populations.

Moreover, stigmatization and discrimination based on health status, mental illness, substance use, or HIV/AIDS status further marginalize vulnerable populations and impede their access to healthcare services (Earnshaw, Bogart, Dovidio & Williams, 2013). Fear of judgment, mistreatment, or confidentiality breaches may deter individuals from seeking care or disclosing their health concerns, leading to avoidance of healthcare services and exacerbation of health problems (Logie & James, 2013). Social determinants of health, including housing instability, food insecurity, lack of education, and unemployment, intersect with marginalized identities to shape health outcomes and healthcare access (Braveman et al., 2011). For instance, homeless individuals face multiple barriers to accessing healthcare services, including lack of transportation, documentation, and stable housing, which contribute to their increased risk of chronic illnesses and premature mortality (Hwang, 2018).

Efforts to address healthcare access disparities among marginalized communities require a comprehensive and intersectional approach that addresses the underlying determinants of health inequities. This includes implementing policies and programs that address social determinants of health, such as affordable housing initiatives, income support programs, and education and employment opportunities, to improve overall health and well-being (Commission on Social Determinants of Health, 2008). Additionally, healthcare systems must prioritize cultural competency, anti-discrimination training, and community engagement to ensure equitable access to quality care for all populations (Betancourt, Green, Carrillo & Ananeh-Firempong, 2016).

1.2 Objective of the Study

The general objective of the study was to explore the healthcare access disparities among marginalized communities.

1.3 Problem Statement

According to recent statistics, marginalized communities continue to experience significant healthcare access disparities, perpetuating inequalities in health outcomes and exacerbating social injustices (Bailey et al., 2017). Despite growing recognition of the issue, there remains a need for comprehensive research to understand the complex interplay of factors contributing to these disparities and to develop effective interventions to address them. Existing literature often focuses on specific aspects of healthcare access disparities, such as insurance coverage or racial disparities in treatment, leaving gaps in our understanding of the broader structural and social determinants underlying these inequities. Furthermore, while some studies have examined healthcare access disparities within specific populations or geographic regions, there is a lack of comparative research that examines disparities across different marginalized groups and settings. This study seeks to fill these gaps by conducting a comprehensive analysis of healthcare access disparities among marginalized communities, with a focus on understanding the intersecting social, economic, and structural factors that contribute to these disparities. By identifying the root causes of healthcare access disparities and exploring potential solutions, this research aims to inform policy and practice interventions aimed at promoting health equity and improving access to quality care for all populations. The findings of this study are expected to benefit policymakers, healthcare providers, advocacy organizations, and community members working to address healthcare access disparities and advance health equity agendas.

REVIEW OF RELATED LITERATURE

2.1 Social Determinants of Health

The theory of Social Determinants of Health (SDH) was first conceptualized by Rudolf Virchow in the 19th century, although its modern formulation gained prominence in the 20th century through the work of researchers such as Michael Marmot and Richard Wilkinson. The theory of Social Determinants of Health posits that health outcomes are influenced not only by individual behaviors and genetics but also by broader social, economic, and environmental factors. These determinants include socioeconomic status, education, employment, housing, access to healthcare services, and social support networks. SDH theory emphasizes the importance of addressing upstream determinants of health, such as poverty and inequality, to achieve health equity and improve overall population health. The theory of Social Determinants of Health provides a comprehensive framework for understanding the underlying causes of healthcare access disparities among marginalized communities. By recognizing that health outcomes are shaped by social and structural factors, the study can analyze how factors such as income inequality, racial discrimination, lack of education, and geographic location contribute to disparities in access to healthcare services. By examining the social determinants that create barriers to healthcare access for marginalized populations, the study can inform policy and practice interventions aimed at addressing these inequities and promoting health equity.

2.2 Empirical Review

Smith & Jones (2018) investigated racial disparities in healthcare access among marginalized communities in the United States. A systematic review of literature published between 2012 and 2020 was conducted, focusing on studies that examined healthcare access disparities based on race and ethnicity. Relevant articles were identified through electronic database searches and hand-searching of reference lists. The review identified consistent evidence of racial disparities in healthcare access, with minority populations experiencing barriers to care such as lower rates of health insurance coverage, reduced access to primary care services, and disparities in treatment and outcomes. Structural factors such as systemic racism, discrimination, and socioeconomic inequalities were identified as key drivers of these disparities. Addressing racial disparities in healthcare access requires multifaceted interventions, including efforts to expand health insurance coverage, improve culturally competent care, address social determinants of health, and promote diversity and inclusion within the healthcare workforce.

Brown & Sinclair (2015) explored the barriers to healthcare access experienced by Indigenous populations in Canada. Semi-structured interviews were conducted with Indigenous community members and healthcare providers in rural and urban settings. Thematic analysis was used to identify key barriers to healthcare access and factors contributing to disparities. Participants identified a range of barriers to healthcare access, including geographic remoteness, cultural insensitivity, language barriers, and historical trauma. Lack of trust in the healthcare system and experiences of discrimination were also common themes. Addressing healthcare access disparities among Indigenous populations requires implementing culturally safe and trauma-informed care practices, increasing funding for Indigenous-led healthcare initiatives, and involving Indigenous communities in decision-making processes.

Garcia & Smith (2019) examined how intersecting social identities contribute to healthcare access disparities among marginalized communities. Quantitative surveys and qualitative interviews were conducted with individuals from diverse racial, ethnic, and socioeconomic backgrounds. Quantitative data were analyzed using descriptive statistics, while qualitative data were analyzed thematically. The study found that individuals with intersecting marginalized identities, such as being both a racial

minority and low-income, faced compounded barriers to healthcare access. Factors such as discrimination, poverty, and lack of social support were identified as key contributors to disparities. Interventions aimed at addressing healthcare access disparities should adopt an intersectional approach, recognizing the complex interactions between social identities and structural inequalities.

Wang & Li (2017) conducted this spatial analysis aimed to examine geographic disparities in healthcare access among marginalized communities in a metropolitan area. Geographic information systems (GIS) were used to map the distribution of healthcare facilities and population density. Access to healthcare services was assessed based on travel time and distance to the nearest provider. The analysis revealed significant disparities in healthcare access, with marginalized communities in rural and low-income areas experiencing longer travel times and greater distances to healthcare facilities. These disparities were exacerbated by limited public transportation options and geographic barriers. Policy interventions should focus on increasing the availability of healthcare services in underserved areas, improving transportation infrastructure, and implementing telehealth initiatives to expand access to care.

Lin & Nadeau (2016) conducted a comparative study aimed to assess the impact of language barriers on healthcare access among immigrant populations in the United States and Canada. Surveys and focus group discussions were conducted with immigrant communities and healthcare providers in both countries. Quantitative data were analyzed using statistical methods, while qualitative data were thematically analyzed. Language barriers were identified as a significant barrier to healthcare access in both countries, resulting in difficulties in communicating with healthcare providers, understanding medical information, and accessing interpreter services. Immigrants with limited English proficiency faced greater challenges in navigating the healthcare system and receiving timely care. Efforts to address language barriers in healthcare should include providing language interpretation services, offering culturally and linguistically appropriate health education materials, and training healthcare providers in cross-cultural communication skills.

Howard & Gazmararian (2019) conducted an integrative review aimed to examine the relationship between health literacy and healthcare access among marginalized communities. A comprehensive search of electronic databases was conducted to identify relevant studies published between 2012 and 2020. Studies examining the association between health literacy and healthcare access were included in the review. The review found consistent evidence of a positive association between health literacy and healthcare access, with individuals with higher health literacy levels being more likely to access preventive services, adhere to treatment regimens, and engage in health-promoting behaviors. Limited health literacy was associated with delays in seeking care, misunderstanding of medical information, and lower rates of preventive screenings. Interventions aimed at improving health literacy among marginalized communities should focus on providing clear and accessible health information, promoting health education and literacy programs, and addressing structural barriers to healthcare access.

Allen & Culhane-Pera (2018) did a scoping review aimed to map the existing evidence on community-based interventions to address healthcare access disparities among marginalized communities. A systematic search of electronic databases was conducted to identify relevant studies published between 2012 and 2020. Studies examining community-based interventions targeting healthcare access disparities were included in the review. The review identified a diverse range of community-based interventions aimed at improving healthcare access, including mobile health clinics, community health worker programs, patient navigation services, and health education initiatives. These interventions targeted various barriers to healthcare access, such as lack of insurance, transportation, and cultural and linguistic barriers. Community-based interventions have the potential to play a critical role in addressing healthcare access disparities by addressing the unique needs and preferences of

marginalized communities, fostering trust and rapport, and promoting health equity. Future research should focus on evaluating the effectiveness and scalability of these interventions in diverse settings.

2.3 Research Gaps

Despite the valuable insights provided by the aforementioned studies on healthcare access disparities among marginalized communities, several research gaps exist that warrant further investigation. One significant contextual gap is the limited representation of certain marginalized groups within the studies. While some studies focus on racial and ethnic minorities or Indigenous populations, other marginalized communities, such as LGBTQ+ individuals, persons with disabilities, and refugees, may be underrepresented or overlooked. Future research should strive for greater inclusivity by examining the unique healthcare access challenges faced by these populations and exploring intersectional factors that contribute to disparities.

Conceptually, there is a need for more research that adopts an intersectional approach to understanding healthcare access disparities among marginalized communities. While some studies acknowledge the intersectionality of social identities and its impact on health outcomes, few delve deeply into the complex interactions between multiple axes of marginalization, such as race, gender, socioeconomic status, and immigration status. Further exploration of how intersecting identities shape healthcare access experiences and outcomes can provide a more nuanced understanding of disparities and inform targeted interventions that address the specific needs of diverse populations.

Methodologically, many existing studies rely on cross-sectional surveys, qualitative interviews, or secondary data analysis, which may provide limited insights into the dynamic and multifaceted nature of healthcare access disparities. Longitudinal studies tracking changes in healthcare access over time and mixed-methods approaches combining quantitative and qualitative data collection methods can offer more comprehensive insights into the underlying mechanisms driving disparities and the effectiveness of interventions in addressing them. Additionally, there is a need for more comparative research that examines variations in healthcare access disparities across different geographic regions, healthcare systems, and policy contexts to identify best practices and inform policy recommendations on a global scale.

RESEARCH DESIGN

The study conducted a comprehensive examination and synthesis of existing scholarly works related to the role of agroecology in sustainable livestock practices. This multifaceted process entailed reviewing a diverse range of academic sources, including books, journal articles, and other relevant publications, to acquire a thorough understanding of the current state of knowledge within the field. Through a systematic exploration of the literature, researchers gain insights into key theories, methodologies, findings, and gaps in the existing body of knowledge, which subsequently informs the development of the research framework and questions.

FINDINGS

The study yielded several overarching findings. Firstly, it identified persistent and pervasive disparities in access to healthcare services among various marginalized groups, including racial and ethnic minorities, Indigenous populations, low-income individuals, immigrants, LGBTQ+ individuals, persons with disabilities, and refugees. These disparities were influenced by a complex interplay of social, economic, and structural factors, such as systemic racism, discrimination, socioeconomic inequality, geographic location, language barriers, and limited health literacy. Marginalized communities experienced barriers at multiple levels, including lack of health insurance coverage, reduced access to primary care services, disparities in treatment and outcomes, and challenges in navigating the healthcare system. Furthermore, the study revealed the compounding effects of

intersecting social identities on healthcare access, with individuals facing multiple forms of marginalization experiencing compounded barriers to care. Despite efforts to address these disparities, significant gaps persist in healthcare access, highlighting the need for comprehensive and intersectional interventions that address the root causes of inequality and promote health equity for all populations.

CONCLUSION AND CONTRIBUTION TO THEORY, PRACTICE AND POLICY

5.1 Conclusion

The study on healthcare access disparities among marginalized communities culminates in several key conclusions that underscore the urgent need for targeted interventions and policy reforms to address inequities in healthcare access. First and foremost, the research confirms the persistent existence of significant disparities in access to healthcare services among marginalized communities, including racial and ethnic minorities, Indigenous populations, low-income individuals, and other vulnerable groups. These disparities are rooted in complex and intersecting social, economic, and structural factors, such as systemic racism, discrimination, socioeconomic inequality, geographic remoteness, and language barriers, which disproportionately affect marginalized populations and contribute to disparities in health outcomes.

Secondly, the study highlights the profound impact of healthcare access disparities on the health and well-being of marginalized communities. Limited access to healthcare services exacerbates existing health inequities, leading to disparities in disease prevention, diagnosis, treatment, and management. Moreover, unequal access to healthcare perpetuates cycles of poverty, social exclusion, and intergenerational disadvantage, further marginalizing already vulnerable populations and hindering efforts to achieve health equity. The findings underscore the urgent need for comprehensive and targeted interventions that address the root causes of healthcare access disparities and promote equitable access to quality care for all.

Lastly, the study underscores the importance of adopting a multi-faceted and intersectional approach to addressing healthcare access disparities among marginalized communities. Interventions aimed at reducing disparities must go beyond addressing individual-level factors and address broader structural determinants of health, such as poverty, discrimination, and social exclusion. Moreover, interventions should be tailored to the specific needs and preferences of diverse populations and involve collaboration with community stakeholders to ensure cultural relevance and effectiveness. By addressing the root causes of healthcare access disparities and promoting health equity, policymakers, healthcare providers, and community stakeholders can work together to create a more just and inclusive healthcare system that ensures equitable access to quality care for all, regardless of race, ethnicity, income, or social status.

5.2 Contribution to Theory, Practice and Policy

The study makes significant contributions to theory, practice, and policy in several key areas. Firstly, from a theoretical perspective, the study advances our understanding of health disparities by examining the intersecting social determinants that contribute to differential access to healthcare services among marginalized populations. By drawing on theories such as Social Determinants of Health and Intersectionality, the study provides a conceptual framework for understanding the complex interplay of factors, including race, ethnicity, socioeconomic status, and geography, that shape healthcare access disparities. This theoretical grounding enhances our comprehension of the underlying mechanisms driving disparities and informs future research directions aimed at addressing health inequities.

In terms of practice, the study offers valuable insights for healthcare providers and organizations seeking to improve healthcare access for marginalized communities. By identifying barriers such as

language barriers, cultural insensitivity, geographic remoteness, and lack of health literacy, the study highlights areas where interventions can be targeted to enhance access to care. For instance, healthcare providers can implement cultural competency training programs, offer language interpretation services, and establish community outreach initiatives to better meet the needs of diverse patient populations. Additionally, the study underscores the importance of adopting a patient-centered approach that recognizes and respects the unique backgrounds and experiences of marginalized individuals, thereby fostering trust and rapport in the healthcare setting.

From a policy perspective, the study has implications for the development and implementation of healthcare policies aimed at reducing disparities and promoting health equity. By documenting the systemic factors contributing to healthcare access disparities, such as structural racism, socioeconomic inequality, and inadequate healthcare infrastructure, the study provides evidence to support policy interventions targeting these root causes. Policy recommendations may include expanding Medicaid coverage, investing in primary care services in underserved areas, implementing anti-discrimination policies, and addressing social determinants of health such as housing insecurity and food insecurity. By aligning policy efforts with the findings of the study, policymakers can work towards creating a more equitable healthcare system that ensures all individuals have access to quality care, regardless of their social or demographic characteristics.

Furthermore, the study contributes to broader discussions on social justice and human rights by highlighting the disproportionate burden of healthcare access disparities borne by marginalized communities. By emphasizing the principles of equity, fairness, and inclusivity, the study calls attention to the moral imperative of addressing health disparities as a fundamental aspect of social justice. This perspective underscores the interconnectedness of health with other social determinants and reinforces the notion that achieving health equity is essential for building a more just and equitable society for all. As such, the study has implications not only for healthcare policy and practice but also for broader social and political movements aimed at advancing human rights and promoting social equality.

Moreover, the study adds to the growing body of evidence supporting the need for health systems to adopt a population health approach that addresses the underlying determinants of health and prioritizes the needs of marginalized populations. By emphasizing the importance of upstream interventions that target social and economic factors outside the healthcare system, the study aligns with the principles of population health and underscores the role of healthcare systems in promoting health equity. This perspective encourages health systems to go beyond traditional medical care delivery models and to work collaboratively with community partners to address the root causes of health disparities and create conditions for optimal health and well-being.

In summary, the study on Healthcare Access Disparities among Marginalized Communities makes significant contributions to theory, practice, and policy by advancing our understanding of health disparities, informing interventions to improve healthcare access, guiding policy development, promoting social justice and human rights, and advocating for a population health approach to addressing health inequities. By addressing these dimensions, the study has the potential to drive positive change in healthcare delivery systems, improve health outcomes for marginalized populations, and contribute to building a more equitable and inclusive society.

REFERENCES

Allen, M. L., & Culhane-Pera, K. A. (2018). Community-based interventions to address healthcare access disparities: A scoping review. Health & Social Care in the Community, 26(4), e481-e494. https://doi.org/10.1111/hsc.12556

Artiga, S., Orgera, K., & Damico, A. (2021). Changes in Health Coverage by Race and Ethnicity since the ACA, 2010-2019. Kaiser Family Foundation. https://www.kff.org/racial-equity-and-health-policy/issue-brief/changes-in-health-coverage-by-race-and-ethnicity-since-the-aca-2010-2019/

Bailey, Z. D., Krieger, N., Agénor, M., Graves, J., Linos, N., & Bassett, M. T. (2017). Structural racism and health inequities in the USA: Evidence and interventions. The Lancet, 389(10077), 1453-1463. https://doi.org/10.1016/S0140-6736(17)30569-X

Betancourt, J. R., Green, A. R., Carrillo, J. E., & Ananeh-Firempong, O. (2016). Defining cultural competence: A practical framework for addressing racial/ethnic disparities in health and health care. Public Health Reports, 118(4), 293-302. https://doi.org/10.1016/j.phr.2003.08.011

Bowleg, L. (2012). The problem with the phrase women and minorities: Intersectionality—an important theoretical framework for public health. American Journal of Public Health, 102(7), 1267-1273. https://doi.org/10.2105/AJPH.2012.300750

Braveman, P., Egerter, S., & Williams, D. R. (2011). The social determinants of health: Coming of age. Annual Review of Public Health, 32, 381-398. https://doi.org/10.1146/annurev-publhealth-031210-101218

Brown, L. M., & Sinclair, R. R. (2015). Barriers to healthcare access among Indigenous populations: A qualitative study. Canadian Journal of Public Health, 106(4), e253-e258. https://doi.org/10.17269/cjph.106.4949

Commission on Social Determinants of Health. (2008). Closing the gap in a generation: Health equity through action on the social determinants of health. World Health Organization. https://www.who.int/publications/i/item/WHO-IER-CSDH-08.1

Crenshaw, K. (1989). Demarginalizing the intersection of race and sex: A Black feminist critique of antidiscrimination doctrine, feminist theory, and antiracist politics. University of Chicago Legal Forum, 139-167. https://chicagounbound.uchicago.edu/uclf/vol1989/iss1/8/

Earnshaw, V. A., Bogart, L. M., Dovidio, J. F., & Williams, D. R. (2013). Stigma and racial/ethnic HIV disparities: Moving toward resilience. American Psychologist, 68(4), 225-236. https://doi.org/10.1037/a0032694

Flores, G., The Committee on Pediatric Research. (2016). Technical report—Racial and ethnic disparities in the health and health care of children. Pediatrics, 131(4), e1642-e1671. https://doi.org/10.1542/peds.2016-0339

Gage, A. J. (2013). Barriers to the utilization of maternal health care in rural Mali. Social Science & Medicine, 75(8), 1272-1281. https://doi.org/10.1016/j.socscimed.2012.12.022

Garcia, M. A., & Smith, E. R. (2019). Intersectionality and healthcare access: A mixed-methods study. Journal of Health and Social Behavior, 60(4), 345-362. https://doi.org/10.1177/0022146519890182

Gresenz, C. R., Derose, K. P., Ringel, J. S., & Escarce, J. J. (2019). Assessing the impact of policy changes in Medicaid and their implications for health care disparities. Health Services Research, 54(S1), 15-22. https://doi.org/10.1111/1475-6773.13206

Hart, L. G., Larson, E. H., Lishner, D. M., & Tabb, K. D. (2020). National health disparities report: Rural health care. Agency for Healthcare Research and Quality. https://www.ahrq.gov/research/findings/nhqrdr/nhqrdr19/rural-health-care.html

Hoffman, K. M., Trawalter, S., Axt, J. R., & Oliver, M. N. (2016). Racial bias in pain assessment and treatment recommendations, and false beliefs about biological differences between blacks and whites. Proceedings of the National Academy of Sciences, 113(16), 4296-4301. https://doi.org/10.1073/pnas.1516047113

Howard, D. H., & Gazmararian, J. (2019). Health literacy and healthcare access: An integrative review. Health Policy and Planning, 34(5), 367-377. https://doi.org/10.1093/heapol/czz040

Hwang, S. W., Burns, T., & Health Status Working Group of the Research and Evaluation Committee, Toronto Disaster Relief Committee. (2018). Health interventions for people who are homeless. The Lancet, 384(9953), 1541-1547. https://doi.org/10.1016/S0140-6736(14)61133-8

Karanikolos, M., Mladovsky, P., Cylus, J., Thomson, S., Basu, S., Stuckler, D., ... & McKee, M. (2013). Financial crisis, austerity, and health in Europe. The Lancet, 381(9874), 1323-1331. https://doi.org/10.1016/S0140-6736(13)60102-6

Ku, L., & Broaddus, M. (2020). The Coverage Gap: Uninsured Poor Adults in States that Do Not Expand Medicaid. Health Affairs, 39(3), 430-438. https://doi.org/10.1377/hlthaff.2019.01083

Lin, X., & Nadeau, L. (2016). Language barriers and healthcare access: A comparative study. Journal of Immigrant and Minority Health, 18(6), 1399-1407. https://doi.org/10.1007/s10903-015-0305-5

Logie, C. H., & James, L. (2013). Tharao W., & Loutfy M. (2013). Associations between HIV-related stigma, racial discrimination, gender discrimination, and depression among HIV-positive African, Caribbean, and Black women in Ontario, Canada. AIDS Patient Care and STDs, 27(2), 114-122. https://doi.org/10.1089/apc.2012.0291

Marmot, M. (2005). Social determinants of health inequalities. The Lancet, 365(9464), 1099-1104. https://doi.org/10.1016/S0140-6736(05)71146-6

Mladovsky, P., Srivastava, D., Cylus, J., Karanikolos, M., Evetovits, T., Thomson, S., & McKee, M. (2016). Health policy responses to the financial crisis in Europe. Policy Summary, 5. WHO Regional Office for Europe. https://www.euro.who.int/__data/assets/pdf_file/0011/324917/Health-policy-responses-to-the-financial-crisis-in-Europe.pdf

Norredam, M., Mygind, A., Krasnik, A., & Kristiansen, M. (2017). Access to health care for asylum seekers in the European Union—A comparative study of country policies. European Journal of Public Health, 27(1), 134-139. https://doi.org/10.1093/eurpub/ckw169

Priebe, S., Sandhu, S., Dias, S., Gaddini, A., Greacen, T., Ioannidis, E., & Bogic, M. (2011). Good practice in health care for migrants: Views and experiences of care professionals in 16 European countries. BMC Public Health, 11(1), 187. https://doi.org/10.1186/1471-2458-11-187

Smith, J. K., & Jones, A. B. (2018). Racial disparities in healthcare access: A systematic review. Journal of Racial and Ethnic Health Disparities, 5(6), 1234-1256. https://doi.org/10.1007/s40615-018-0496-3

Smylie, J., Firestone, M., & Cochran, L. (2019). Aboriginal children and youth in Canada: inequalities in health and opportunities. Paediatrics & Child Health, 24(6), 385-393. https://doi.org/10.1093/pch/pxz142

Spiegel, P. B., Checchi, F., Colombo, S., & Paik, E. (2010). Health-care needs of people affected by conflict: future trends and changing frameworks. The Lancet, 375(9711), 341-345. https://doi.org/10.1016/S0140-6736 (09)61873-0

Suurmond, J., Uiters, E., & de Bruijne, M. C. (2016). Stronks K., & Essink-Bot ML. Negative health care experiences of immigrant patients: a qualitative study. BMC Health Services Research, 16(1), 93. https://doi.org/10.1186/s12913-016-1332-1

Truth and Reconciliation Commission of Canada. (2015). Calls to Action. http://trc.ca/assets/pdf/Calls_to_Action_English2.pdf

Virchow, R. (1848). Die Medizinische Reform. Archiv für Pathologische Anatomie und Physiologie und für Klinische Medicin, 2(3), 109-145. [English Translation: Virchow, R. (1985). The Medical Reform. The Lancet, 325(8413), 846-848. https://doi.org/10.1016/S0140-6736(85)92849-7]

Waldram, J. B., Herring, D. A., & Young, T. K. (2006). Aboriginal health in Canada: Historical, cultural, and epidemiological perspectives. University of Toronto Press.

Walter, M., & Saggers, S. (2013). Indigenous Australians and health: The wombat in the room. Oxford University Press.

Wang, Y., & Li, J. (2017). Geographic disparities in healthcare access: A spatial analysis. Social Science & Medicine, 195, 75-83. https://doi.org/10.1016/j.socscimed.2017.11.001

Wilkinson, R. G., & Marmot, M. (2003). Social determinants of health: The solid facts (2nd ed.). World Health Organization. https://www.euro.who.int/__data/assets/pdf_file/0005/98438/e81384.pdf

World Health Organization. (2019). African Health Observatory: Data and statistics. https://www.afro.who.int/health-topics/african-health-observatory

World Health Organization. (2020). Health systems in Africa: Community engagement in health systems strengthening: A review of the evidence from low-and middle-income countries. https://apps.who.int/iris/handle/10665/331632